

**Amendments to the Claims:**

The listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently Amended) A method for setting broadcast receiver(200), comprising:

setting the broadcast receiver's (200) frequency adjustment;

receiving a primary broadcast sent by said broadcast station such as a radio station (108) via a primary broadcast channel (109);

setting the uniform resource locator of program associated data made available by the broadcast station (102) to a browser;

sending a request to the web referenced as the uniform resource locator of the program associated data with a browser using an Internet connection (204) via an interaction channel (117); and

retrieving the program associated data (104) from said uniform resource locator of the program associated data, the method being characterized ~~in that~~ wherein;

the setting of said uniform resource locator of the program associated data to a browser and/or the setting of said frequency adjustment to the broadcast receiver is executed by

sending a request to a station associated data site (101), the request to the station associated data site comprising precognition information about the

broadcast receiver, such as position information of said broadcast receiver,  
and

retrieving, in a response to said request sent to the station associated data  
site, station associated data (103) from said station associated data site (101),  
the station associated data comprising:

said uniform resource locator of the program associated data (104),  
and

the frequency adjustment information relating to the included broadcast  
stations (108), the uniform resource locator of the program associated data and  
frequency adjustment information being in relation to each other and available  
to said broadcast receiver (200).

2. (Currently Amended) A method according to claim 1, ~~characterized~~  
~~in that~~ wherein the station associated data (103) further comprises coverage area  
information relating to the included broadcast stations (108) and the that  
response to said request sent to station associated data site is filtered by  
comparing the position information of said broadcast receiver with said coverage  
area information relating to the included broadcast stations.

3. (Currently Amended) A method according to claim 1, ~~characterized~~  
~~in that~~ wherein the precognition about the broadcast receiver further comprises  
the device type of the broadcast receiver.

4. (Currently Amended) A method according to claim 1, ~~characterized in that~~ wherein the precognition about the broadcast receiver further comprises indicated frequency and/or channel signatures of the broadcast receiver.

5. (Currently Amended) A method to claim 1, ~~characterized in that~~ wherein the precognition about the broadcast receiver further comprises a local uniform resource locator link selected on the browser.

6. (Currently Amended) A method according to ~~any of the claims~~ claim 1 to 5, ~~wherein characterized in that~~ the request sent by the browser to the station associated data site (101) is arranged to be regenerated by a trigger arranged in the broadcast receiver or by the user's action.

7. (Currently Amended) A method according to ~~any of the claims~~ claim 1 to 6, ~~wherein characterized in that~~ the response to said request from the station associated data site (101) is a preformed listing of station associated data, the listing depending on the position information of said broadcast receiver and the user of the broadcast receiver thus being capable of making a selection from this listing and setting by means of utility control (206) interface, the integrated broadcast receiver unit (207) and the browser (203) with a single selection act.

8. (Currently Amended) A broadcast receiver, comprising;

a broadcast receiver unit (207) capable of receiving a primary broadcast using a primary broadcast channel (109) and;

an Internet connection device (204) using an interaction channel (117) for an Internet access with a hypertext retrieval protocol;

a browser (203) using said Internet connection device (204) for processing hypertext on a display (202) of said broadcast receiver, the processing of hypertext comprising functions such as retrieving, decoding, presenting and navigating the hypertext,

wherein ~~characterized in that~~ said broadcast receiver comprises

a utility control interface (206) arranged to read the broadcast station settings and the uniform resource locator of the program associated data (104) related to said broadcast station (108) settings from the station associated data retrieved from station associated data site (101) by said browser (103) and to use the broadcast station settings and uniform resource locator of the program associated data related to said broadcast station settings, included in said station associated data (103), to control the broadcast receiver (200).

9. (Currently Amended) A broadcast receiver according to claim 8 wherein ~~characterized in that~~ the broadcast station settings and the uniform resource locator of the program associated data related to said broadcast station settings included in the station associated data (103) retrieved from the station associated data site (101) by said browser (103) are both available to the broadcast receiver in its current position.

10. (Currently Amended) A broadcast receiver according to claim 8, wherein ~~characterized in that~~ the broadcast receiver unit (207) is a radio unit.

11. (Currently Amended) A broadcast receiver according to claim 8, wherein ~~characterized in that~~ the broadcast receiver unit (207) is a television receiver unit.

12. (Currently Amended) A broadcast receiver according to ~~claims~~ claim 8 ~~10~~, wherein ~~characterized in that~~ the Internet browser (203) is arranged to retrieve the uniform resource locator of the program associated data (104) from a station associated data site (101) according to a frequency selection made at the broadcast receiver unit.

13. (Currently Amended) A broadcast receiver according to claim ~~claims~~ 8 ~~[-] 11~~, wherein ~~characterized in that~~ the Internet browser is arranged to retrieve the uniform resource locator of the program associated data (104) from the station associated data site (101) according to a position (210) of the broadcast receiver.

14. (Currently Amended) A broadcast receiver according to claim 13, wherein ~~characterized in that~~ the position of the broadcast receiver is arranged to be determined by using the mobile network.

15. (Currently Amended) A broadcast receiver according to claim 13, wherein ~~characterized in that~~ the position of the broadcast receiver is arranged to be determined by using a GPS device integrated in the broadcast receiver.

16. (Currently Amended) A broadcast receiver according to claim 8, wherein ~~characterized in that~~ a combined selection of control settings of the broadcast receiver unit (207) and the uniform resource locator setting for the browser (203) for retrieving the uniform resource locator of the program associated data (104) can be done with one single click on a uniform resource locator link.

17. (Currently Amended) A broadcast receiver according to claim 16, wherein ~~characterized in that~~ the selection of the uniform resource locator settings for the browser for retrieving the program associated data (104) can be done with a bookmark stored in browser (203).

18. (Currently Amended) A broadcast receiver according to claim 8, wherein ~~characterized in that~~ one of the intermediate connection (110-113) between the browser (203) and the broadcast receiver unit (207) is a short-range radio connection.

19. (Currently Amended) A broadcast receiver according to claim 18, wherein ~~characterized in that~~ the short-range radio connection is a bluetooth connection.

20. (Currently Amended) A broadcast receiver according to claim 8, wherein ~~characterized in that~~ one of the intermediate connection ~~(110-113)~~ between the browser ~~(203)~~ and broadcast receiver unit ~~(207)~~ is a cable connection.

21. (Currently Amended) A broadcast receiver according to claim 8, wherein ~~characterized in that~~ one of the intermediate connection ~~(110-113)~~ between the browser ~~(203)~~ and the broadcast receiver unit ~~(207)~~ is an infrared connection.

22. (Currently Amended) A web server station associated data site ~~(101)~~ for making program associated data ~~(104)~~ available to a browser ~~(203)~~ using an Internet connection device ~~(204)~~ for retrieving hypertext, wherein the server ~~characterized by comprising~~ comprises

a database managing means for maintaining station associated data ~~(103)~~, the station associated data ~~(104)~~ comprising program associated data relating to a primary broadcast and made available on the web as the referenced uniform resource locator of said program associated data ~~(104)~~ and frequency information

relating to the primary broadcast and coverage area information relating to included broadcast stations,

a first software routine for receiving a request sent by the browser, the request comprising at least one of the following:

broadcast receiver position information;

frequency information selected at a broadcast receiver unit (207);

current uniform resource locator information of the browser (203);

a second software routine comparing at the server database

said position information of the broadcast receiver (200) included in the request sent by the browser (203) with

the coverage area information relating to the included broadcast stations (108);

a third software routine for filtering the compared information;

a fourth software routine for presenting the listing of filtered station associated data (103) to the broadcast receiver (200).

23. (Currently Amended) A web server according to claim 18, wherein the server characterized by comprising comprises database managing means for arranging several broadcast stations and/or broadcast stations programs into categories and means for searching the broadcast station and/or broadcast stations programs based on said categories.